

Prevalence

Gender	Age Group	Prevalence per 1,000 Members							Relative Change in Prevalence						
		2001	2002	2003	2004	2005	2006	2007	2001-2002	2002-2003	2003-2004	2004-2005	2005-2006	2006-2007	2001-2007
A	0 to 9	1.60	2.02	2.25	2.39	2.46	2.70	2.90	26.51%	11.38%	6.08%	3.07%	9.87%	7.24%	81.52%
A	10 to 19	5.23	6.28	7.81	9.00	9.33	9.71	10.00	20.17%	24.30%	15.26%	3.70%	4.01%	2.99%	91.24%
A	20 to 44	5.42	6.47	7.56	7.63	7.42	7.45	8.53	19.38%	16.88%	0.91%	-2.72%	0.33%	14.57%	57.45%
A	45 to 64	7.79	8.58	9.83	10.14	9.42	9.07	10.09	10.14%	14.58%	3.20%	-7.09%	-3.73%	11.28%	29.63%
A	65 +	19.31	20.61	21.24	22.52	20.95	19.06	20.14	6.74%	3.09%	5.99%	-6.95%	-9.02%	5.62%	4.29%
A	Adults 20 +	9.89	10.60	11.76	12.00	11.16	10.22	11.38	7.16%	10.88%	2.04%	-6.94%	-8.44%	11.31%	14.99%
A	Peds 0-19	3.81	4.58	5.59	6.38	6.60	6.94	7.20	19.96%	22.21%	14.11%	3.38%	5.15%	3.82%	88.79%
F	0 to 9	0.60	0.91	0.98	1.16	1.01	1.28	1.45	52.29%	7.92%	17.91%	-13.16%	27.23%	13.12%	142.19%
F	10 to 19	3.43	4.21	5.61	6.69	7.18	7.46	7.52	22.68%	33.12%	19.25%	7.38%	3.93%	0.82%	119.12%
F	20 to 44	5.84	7.18	8.39	8.34	8.24	8.35	9.47	22.87%	16.77%	-0.48%	-1.28%	1.42%	13.35%	62.04%
F	45 to 64	9.01	10.08	11.79	12.07	11.20	11.07	12.23	11.80%	17.03%	2.33%	-7.22%	-1.09%	10.48%	35.73%
F	65 +	22.32	23.69	25.37	26.72	24.75	23.32	24.39	6.15%	7.11%	5.31%	-7.37%	-5.77%	4.57%	9.29%
F	Adults 20 +	11.42	12.15	13.86	13.98	13.18	12.26	13.52	6.38%	14.08%	0.82%	-5.70%	-6.96%	10.29%	18.40%
F	Peds 0-19	2.33	2.89	3.77	4.49	4.73	5.02	5.13	23.83%	30.31%	19.29%	5.20%	6.15%	2.29%	119.86%
M	0 to 9	2.54	3.05	3.46	3.57	3.85	4.07	4.29	20.10%	13.46%	3.08%	7.96%	5.61%	5.46%	68.91%
M	10 to 19	6.95	8.21	9.93	11.22	11.41	11.87	12.38	18.16%	20.96%	12.96%	1.75%	4.01%	4.32%	78.22%
M	20 to 44	4.97	5.73	6.68	6.86	6.56	6.50	7.52	15.31%	16.56%	2.70%	-4.39%	-0.89%	15.68%	51.29%
M	45 to 64	6.49	7.02	7.73	8.08	7.55	6.96	7.76	8.14%	10.15%	4.56%	-6.65%	-7.74%	11.53%	19.63%
M	65 +	15.79	17.46	16.71	18.03	16.33	14.33	15.21	10.56%	-4.28%	7.91%	-9.43%	-12.28%	6.19%	-3.66%
M	Adults 20 +	8.23	9.00	9.49	9.87	8.96	8.06	9.02	9.29%	5.45%	4.02%	-9.22%	-10.09%	11.92%	9.51%
M	Peds 0-19	5.22	6.14	7.34	8.19	8.40	8.78	9.19	17.58%	19.56%	11.53%	2.49%	4.60%	4.68%	75.94%
Data Source is Probability Sample															
		2001	2002	2003	2004	2005	2006	2007							
Sample Size		2,128,907	2,926,294	2,487,055	2,496,551	2,509,010	2,600,922	2,726,832							
Antipsychotics are defined as Formulary Chapter 3.9.3															
Prevalence of use is defined as one or more Rx's for an antipsychotic drug during the year															